



ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance,

ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with it's new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

CONTENTS

4-7 Ambiance CLX2 Series

Framed Recessed Wall Mount Electric Fireplace

8-11 Landscape FullView 2 Series

Electric Fireplace with Unique Frameless Design

12-15 Landscape Pro Slim Series

Electric Fireplace with Unique Frameless Design

16-19 Landscape Pro MultiView Series
Built-in Clean Face Electric Fireplace

20-23 Spectrum Linear Series

Linear Electric Fireplace with 12 Flame Colors

24-27 Spectrum Conventional Series

Conventional Electric Fireplace with 12 Flame Colors

28-31 Sedona Series

Built-in Flush Mount Electric Fireplace

32-33 Sunset Charred Oak Logs

Electric Log Set - Li-ion Battery or Plug-in

34-35 ZCR2 Series

Electric Fireplace Insert



AMBIANCE CLX2 SERIES Recessed or Wall Mount Electric Fireplace

The popular Ambiance CLX2 electric fireplace offers the ultimate combination of versatility and design. This award winning, upgraded product series has an improved look offering simple customization. The Ambiance CLX2 features a NEW color changing orange to blue flame for year-round use, a thermostat for setting that ideal temperature and includes 2 styles of media for 2 distinctive looks: coals and glacier diamond glass. Four unique surround options offer the ultimate customization: stainless steel, black stainless steel, flat white metal & matte black metal. The 45" and 60" sizes are the perfect addition to any room in the home.



STANDARD FEATURES

Recessed or Wall Mount Installation

Color Changing Orange to Blue Flame

Media – Coals & Glacier Glass (Included)

Low Energy LED Flame Technology

Unsurpassed Realistic Flame Pattern

Hi-tech Touch Screen Controls

New Sleek Remote

Can be Installed Beneath a TV

Variable Heat with Thermostat


Wariable Flame Controls

120 Volt Direct Plug-in

Mo it Yourself Installation Instructions

AMBIANCE CLX2 SERIES

Available in 5 Linear Widths with More Ways to Customize








Orange Flames with Standard Coal Bed

Orange Flames with Standard Glacier Glass Ember Bed Blue Flames with Standard Glacier Glass Ember Bed







AMBIANCE CLX2 SERIES

Technical Specs





TOUCH SCREEN TECHNOLOGY

A user-friendly series of touch controls operate power, heat (on/off) and light intensity.


Press light intensity for 5 sec. and the flame changes from orange to blue.

The up/down arrows and digital readout indicate and control the temperature setting.

All touch controls fade to black after 4 sec.

With the metal face upgrades you will no longer be able to have the ability to operate the touchscreen on the face of the fireplace. A touchscreen can be mounted in the wall within 3' of the fireplace.

MODEL#	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
AL45CLX2-G	AC 120V / 60Hz	1,520	5,000	30" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL60CLX2-G	AC 120V / 60Hz	1,530	5,000	45" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL80CLX2-G	AC 120V / 60Hz	1,550	5,000	65" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL100CLX2-G	AC 120V / 60Hz	1,570	5,000	85" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL144CLX2-G	AC 120V / 60Hz	1,610	5,000	131 1/2" L x 19 1/2" H x 4" D	Recessed ONLY



				-	-		
MODEL#	А	В	С	D	E	F	G
AL45CLX2-G	10"	27"	5 1/8"	29 1/4"	19 1/4"	45"	25 1/2"
AL60CLX2-G	10"	42"	5 1/8"	44 1/4"	19 1/4"	60"	25 1/2"
AL80CLX2-G	10"	62"	5 1/8"	64 1/4"	19 1/4"	80"	25 1/2"
AL100CLX2-G	10"	82"	5 1/8"	84 1/4"	19 1/4"	100"	25 1/2"
AL144CLX2-G	10"	126"	5 1/8"	122 1/2"	19 1/4"	144"	25 1/2"



LANDSCAPE FULLVIEW 2 SERIES

Built-in Clean Face Electric Fireplace

The Landscape FullView 2 built-in electric fireplace is the first of its kind creating a perfect substitute for a linear gas fireplace. This unique frameless design allows for edge to edge flame presentation as well as unlimited surround capabilities. Available in 5 different lengths for any application as well as 3 customizable flame bed options for different fit and finishes. An optional 2 stage heater is also included for supplemental heat up to 450 square feet.



STANDARD FEATURES

Realistic Natural Flame Appearance

Orange/Blue Color Changing Flame

Glowing Coal Ember Bed

555 5,000 BTU Heater

Full Flame Viewing Area

Fully Finished Clean Face Installation

Affordable Alternative to Gas

Can be Installed Beneath a TV

Cool to the Touch with Heat On or Off

Remote Control

Wall Tether Touch Screen Control

a

LANDSCAPE FULLVIEW 2 SERIES

Available in 5 Linear Widths with Orange or Blue Changeable Flames



Blue Flames shown with Standard Media - Standard & Dusted w/paint

MEDIA UPGRADES



LFV2-40/15-SH with DWLS-4015



LFV2-40/15-SH with GC-4015 & BGC-40/15 Can be Ordered Separately



LANDSCAPE FULLVIEW 2 SERIES

Technical Specs







TOUCH SCREEN TECHNOLOGY

Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

MODEL#	VOLTS	WATTS	BTU's	FRAMING (ROUGH OPENING)	INSTALLATION TYPE
LFV2-40/15-SH	AC 120V / 60Hz	1,530	5,000	55 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-60/15-SH	AC 120V / 60Hz	1,530	5,000	75 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-80/15-SH	AC 120V / 60Hz	1,550	5,000	95 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-100/15-SH	AC 120V / 60Hz	1,600	5,000	115 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-120/15-SH	AC 120V / 60Hz	1,600	5,000	135 3/4" L x 12" D x 23" H	Built-In Clean Face

LFV2-60/15-SH TECHNICAL DRAWING SHOWN





MODEL#	Α	В	С	D	E	F
LFV2-40/15	15"	40"	111/2"	22½"	54¾"	571/4"
LFV2-60/15	15"	60"	111/2"	22½"	74¾"	771⁄4"
LFV2-80/15	15"	80"	111/2"	22½"	94¾"	971/4"
LFV2-100/15	15"	100"	111/2"	22½"	114¾"	117¼"
LFV2-120/15	15"	120"	111/2"	22½"	134¾"	137¼"



LANDSCAPE PRO SLIM SERIES Built-in Clean Face Electric Fireplace

The Landscape Pro Slim built-in electric fireplace is the perfect option for any consumer looking to build in an electric fireplace into any 2 x 6 framed wall. This new Slim model in the Landscape Series features a unique frameless design for a true edge to edge viewing area. A new relocated top mount heater allows for a larger viewing area and new LED light technology give this Slim model a crisp multi-color flame. The Landscape Pro Slim features a 5000 BTU heater, Remote & wireless wall tether control & 4 convenient sizes (42", 54", 66" & 78").



STANDARD FEATURES

12 Different Flame & Ember Bed Color Options

Back Flame & Ember Bed Controlled Independently or Together

3 Different Ember Bed Stone Styles

Full Flame Viewing Area

Fully Finished Clean Face Installation

Finish Trim Kit Included

5,000 BTU Variable Heater


Variable Flames

Remote Control

Wireless Tether Controls

LANDSCAPE PRO SLIM SERIES

Fireplace Available in 4 Standard Widths



LANDSCAPE PRO SLIM SERIES

Technical Specs




TOUCH SCREEN TECHNOLOGY


Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LANDSCAPE PRO SLIM DIMENSIONS

MODEL#	А	В	С	D	Е	Framing (WxHxD)
LPS-4214	13 1/2"	42"	6"	23 7/8"	44 1/2"	45"W x 24 1/4"H x 5 1/2"D
LPS-5414	13 1/2"	54"	6"	23 7/8"	56 1/2"	57"W x 24 1/4"H x 5 1/2"D
LPS-6614	13 1/2"	66"	6"	23 7/8"	68 1/2"	69"W x 24 1/4"H x 5 1/2"D
LPS-7814	13 1/2"	78"	6"	23 7/8"	80 1/2"	81"W x 24 1/4"H x 5 1/2"D

LANDSCAPE PRO SLIM 54" DRAWING SHOWN







LANDSCAPE PRO MULTIVIEW SERIES

Built-in Clean Face Electric Fireplace

The Landscape Pro MultiView is the industry's first 3-sided customizable length built-in electric fireplace on the market today and comes in 4 standard sizes (42", 54", 66", 78"). With removable side panels, custom installations can now range from a right corner, left corner or bay application with seamless glass edges. The Landscape Pro MultiView features a true edge to edge viewing area for a unique frameless design. A new relocated top mount heater allows for a larger viewing area and new LED light technology give this MultiView model a crisp multi-color flame. The Landscape Pro Multiview also has the ability to be wired 110V for 5,000 BTU heater OR 220V for 10,000 BTU heater & includes 3 different standard media options in the box. An active ember bed gives your media a pulsating effect & unique downlighting allow you to illuminate your logs when the back flame is off. This fully featured built-in electric fireplace is full of customizations & options.




STANDARD FEATURES 12 Different Flame and Ember Bed Color Options Back Flame & Ember Bed Controlled Independently or Together 8 Different Customizable Sizes Left Corner or Right Corner Bay Installation Types 3 Different Ember Bed Stone Styles Full Flame Viewing Area Media Bed Down Lighting

Fully Finished Clean Face Installation

Wireless Tether Controls

LANDSCAPE PRO MULTIVIEW SERIES

Fireplace Available in 4 Standard Widths





Comes Standard With 3 Different Types of Stone Media: Clear, Gray and White



Upgrade Option Driftwood Log Set

LANDSCAPE PRO MULTIVIEW SERIES

Technical Specs




TOUCH SCREEN TECHNOLOGY


Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

LANDSCAPE PRO MULTIVIEW DIMENSIONS

MODEL#	Α	В	С	D	E	Framing (WxHxD)
LPM-4216	15 7/8"	42"	10 1/2"	24 3/4"	44"	44 1/2"W x 25 1/4"H x 10 1/2"D
LPM-5416	15 7/8"	54"	10 1/2"	24 3/4"	56"	56 1/2"W x 25 1/4"H x 10 1/2"D
LPM-6616	15 7/8"	66"	10 1/2"	24 3/4"	68"	68 1/2"W x 25 1/4"H x 10 1/2"D
LPM-7816	15 7/8"	78"	10 1/2"	24 3/4"	80"	80 1/2"W x 25 1/4"H x 10 1/2"D

LANDSCAPE PRO MULTIVIEW 54" DRAWING SHOWN





← C →



SPECTRUM LINEAR SERIES Electric Fireplace Built-in Flush Mount

Modern Flames Linear Spectrum Series Built-In Flush Mount Electric Fireplace brings the flame versatility and size options. Our award winning flame appearance now features 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look. Add our realistic Driftwood Logs for a more traditional look. The Spectrum Linear Series is available in 2 different widths: 50" or 74" models. A thermostat, touch control and remote completes this innovative series.



STANDARD FEATURES

Unsurpassed Realistic Flame Pattern

12 Color Flame Combinations

Glacier Glass Ember Bed

Low Energy LED Flame Technology

Touch Button Controls

New Sleek Remote

Can be Installed Beneath a TV

Variable Heat with Thermostat

Wariable Flame Controls

120 Volt Plug/Hard Wire Ready

No it Yourself Installation Instructions

SPECTRUM LINEAR SERIES

12 Flame Color Combinations at the Push of a Button

The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.





















Spectrum Linear Upgrade Options






Optional Canyon Driftwood Logs (CDL-50L & CDL-74L)


Spectrum Linear Technical Specs

MODEL#	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
SL50-B	AC 120V / 60Hz	1,530	5,000	48 1/2" L x 18 1/4" H x 8" D	Fully Recessed
SL74-B	AC 120V / 60Hz	1,530	5,000	72 1/2" L x 18 1/4" H x 8" D	Fully Recessed

MODEL#	Α	В	С	D	E	F	G
SL50-B	13 1/4"	46 1/4"	7 5/8"	47 7/8"	18"	49 3/4"	19"
SL74-B	13 1/4"	70 1/2"	7 5/8"	72 1/8"	18"	74"	19"

SL₅₀-B TECHNICAL DRAWING SHOWN









SPECTRUM CONVENTIONAL SERIES Electric Fireplace Built-in Flush Mount

Modern Flames Conventional Spectrum Series Built-In Flush Mount Electric Fireplace brings flame versatility with 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look along with our realistic Driftwood Logs. The Spectrum Conventional Series is available in a 36" wide model. A thermostat, touch control and remote completes this innovative series.



STANDARD FEATURES

Unsurpassed Realistic Flame Pattern

12 Color Flame Combinations

Canyon Driftwood Log Set

Glacier Glass Ember Bed

Low Energy LED Flame Technology

Touch Button Controls

New Sleek Remote

Can be Installed Beneath a TV

Variable Heat with Thermostat

Wariable Flame Controls

120 Volt Plug/Hard Wire Ready

Do it Yourself Installation Instructions

SPECTRUM CONVENTIONAL SERIES

12 Flame Color Combinations at the Push of a Button

The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.











A A CON







Green










SPECTRUM SERIES


Technical Specs - Conventional



	MODEL#	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
1	SC36-B	AC 120V / 60Hz	1,530	5,000	35 1/2" L x 24 1/4" H x 8" D	Fully Recessed

SC₃6-B DIMENSIONS







SEDONA SERIES

Built-in Flush Mount Electric Fireplaces

The Sedona 36" flush mount electric fireplace has the versatility of a contemporary acrylic glass or traditional authentic LED log set that looks extremely realistic whether it's on or off. This handsomely styled electric fireplace will make you proud to show your friends. The larger 42" size has an exceptional viewing area making this models one of a kind in the marketplace. The versatility of a single model can tailor to the room décor by a contemporary glass or traditional log appearance. The design of these models is built to gas fireplace specifications and provides a perfect substitute for such applications while providing supplemental heat up to 450 square feet.



STANDARD FEATURES

Low Energy LED Flame Technology

Flame Operates With or Without Heat

1500 Watt/5000 BTU Heater

Can be Installed Beneath a TV

Deeper Firebox for 3D Burner & Flame

Designed to Match Standard Gas Fireplace Sizes

Customizable Side Panel Options

Media Bed Down Lighting

Hard Wire or Plug-in Cord Option

Touch Screen and Remote Control

SEDONA SERIES Traditional or Contemporary

STANDARD FEATURES




Standard Sedona Firebox with Canyon Driftwood Logs & Herringbone Brick Side Panels

UPGRADE OPTION




Upgrade: Contemporary Glacier Kit & Black Glass Side Panels

EMBER BED WITH CHANGEABLE COLORS - Shown Below with Upgrade Contemporary Glacier Kit







Multiple Ember Bed Colors - 4 Colors Shown

SEDONA SERIES

Technical Specs




TOUCH SCREEN TECHNOLOGY

Directly above the flame on the right hand side you will find a series of touch controls. The 3 icons (in order) operate the power, heat (on/off) and light intensity. All touch controls fade to black after 4 seconds.


SEDONA FRAMING DIMENSIONS

MODEL#	Framing Dimensions(WxHxD)
SDF-36C	35 3/4"W x 25"H x 12"D
SDF-42C	41 1/2"W x 29"H x 14"D

SEDONA 36" DIMENTIONAL DRAWING



SEDONA 42" DIMENTIONAL DRAWING





SUNSET CHARRED OAK LOGS Electric Log Set

The Sunset Charred Oak Electric Logs set is the industries first battery powered and Wi-Fi enabled electric logs. This electric log set is designed to simply be unpackaged and installed into any existing wood burning fireplace without the hassle of running a electrical line. The Sunset Charred Oak features High Definition resin log detail, unsurpassed bark detail, 8 color paint scheme, Realistic LED ember bed, 6 stage lighting intensity and flame settings, hidden manual controls & Wi-Fi capability. Never has it been easier to add a full featured electric log set to your wood burning fireplace.

HIGH DEFINITION RESIN LOG & BARK DETAIL



OPTIONAL BATTER PACK & CHARGER (10 hours of use)



26" LOG DIMENSIONS: 12.25" Height 25.5" Width 13.5" Depth

20" LOG SET ALSO AVAILABLE

20" LOG DIMENSIONS: 10" Height 19.5" Width 10" Depth

STANDARD FEATURES

High Definition Resin Log Detail

8 Color Log Paint Scheme

Realistic LED Ember Bed

6 Stage Lighting Intensity

Natural Flame Pattern

Hidden Manual Controls

Optional Lithium Ion Battery Pack

Wi-Fi Capability





ZCR2 INSERT

Electric Fireplace Insert


The ZCR2 Series is specifically designed to insert into an existing 30" - 42" wood burning fireplace and provide a beautiful and economical substitute to a gas log set or gas insert. Simply run power to your fireplace & insert the ZCR2 into the firebox without the need of screws or attaching hardware. The ZCR2 comes standard with new canyon driftwood logs & contemporary glacier glass for a traditional or contemporary look. A standard 4800 BTU heater & touch screen controls with a remote are all included. Finish off the ZCR2 with one of five different trim options to fit a plethora of unique firebox openings.

OPTIONAL TRIM KITS Trim Kit: TK-ZCR2-3222

Trim Kit: TK-ZCR2-3824

Trim Kit: TK-ZCR2-4326

ZCR2 DIMENSIONS



REMOTE CONTROL

Separate controls for on/off

variable heat and variable flame.

STANDARD FEATURES

Realistic Flame Appearance

Easy Access Push Button controls

1400 Watt /4800 BTU Heater

Fits into Existing Zc Fireboxes

Glowing LED Canyon Juniper Log Set

3 Stage Flame Brightness

Can be Installed Beneath a TV

Remote Control











ModernFlames.com 3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW