




GRILL
BETTER!

CRAFTED WITH PRIDE  IN THE USA

RH  PETERSON co.

A photograph of a backyard barbecue. In the foreground, a large white rectangular platter is filled with several pieces of grilled chicken, garnished with fresh green herbs. The chicken is cooked to a golden-brown color with some char. To the right of the platter, a small white bowl contains a bread roll. In the background, three wine glasses are set on the table, and a bottle of wine is visible. The setting is outdoors on a patio with a stone table and some greenery in the background.

Special moments, like a family barbecue or a celebration with friends and neighbors, are made even more so with the American Outdoor Grill®.

Backyard Perfection



AMERICAN OUTDOOR GRILL

Designed and manufactured by the company that brings you Fire Magic® Premium Grills, AOG® grills add style and cooking excellence to your outdoor kitchen.

Whether Built-In or Portable, you'll be delighted with the performance, longevity, and appearance of your American Outdoor Grill®

FEATURE HIGHLIGHTS



SEAMLESS HOOD
WITH BRUSHED EDGES




DIAMOND SEAR
COOKING GRIDS



304 STAINLESS STEEL
BURNERS



HEAVY DUTY
WARMING RACK



BUILT-IN INFRARED
BACKBURNER



VAPORIZER PANELS



ANALOG THERMOMETER
WITH POLISHED BEZEL



ELECTRONIC IGNITION
PUSH BUTTON ("L" SERIES)



BACK-LIT KNOBS
("L" SERIES)



ON/OFF LIGHT CONTROL BUTTON
("L" SERIES)

- ❖ All 304 stainless steel construction including burners, vaporizer panels, cooking grids, and warming rack.
- ❖ Seamless oven hood and control panel with brushed edges
- ❖ 304 stainless steel Diamond Sear cooking grids
- ❖ Back-lit, comfort touch control knobs ("L" series only)
- ❖ Halogen interior lights ("L" series only)
- ❖ Electronic push button ignition ("L" series only)
- ❖ 120 Volt power source required for "L" series grills

- ❖ "Rapid Light" piezo ignition system, no power or batteries required ("T" series only)
- ❖ Backburner with high performance rotisserie kit (not available on -00SP models)
- ❖ Large Analog thermometer with polished bezel reads up to 1000° F
- ❖ Heavy duty warming rack included with all units
- ❖ Flush mounted brass side burner on Portable Grills - 12,000 BTU's
- ❖ 10" easy-to-use stainless steel drip tray
- ❖ LP conversion orifices included with Built-In and Post Grills
- ❖ Easy cushion lid bumpers (front and back) of oven/hood

"L" SERIES GRILLS

The "L" series grills feature an electronic push button ignition system, interior halogen lights, and back-lit knobs (controlled by a push button located on the right side of the unit) ideal for evening grilling. Requires 120 Volt AC power.



Model Shown: **36NBL**

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 648 sq. inches |
| BTU's: | 50,000 Primary + 12,000 Backburner |
| Cut-out: | 36¾" w x 19½" d x 8½" h |



Model Shown: **30NBL**

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 540 sq. inches |
| BTU's: | 45,000 Primary + 12,000 Backburner |
| Cut-out: | 30½" w x 19½" d x 8½" h |

Built-In Collections



Model Shown: **24NBL**

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner |
| Cut-out: | 24½" w x 19½" d x 8½" h |

Included with all "L" Series grills



12V HALOGEN LIGHTS

All models available in Natural Gas with Propane conversion kit included.

All models also available without backburner (-00SP).

For optional factory-installed Infrared Burner upgrade, replacing left standard burner on "L" Series Grills, add **-R** to Model # (e.g. 36NBL-R). Additional cost applies.

"T" SERIES GRILLS

The "T" series grills feature a "Rapid Light" piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill that will last a long time.




Pictured above: 30NBL "L" Series Built-In Grill



Model Shown: 36NBT

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 648 sq. inches |
| BTU's: | 50,000 Primary + 12,000 Backburner |
| Cut-out: | 36¾" w x 19½" d x 8½" h |

Included with all "T" series grills



"RAPID-LIGHT"

Push-to-light piezo ignition system



Model Shown: 24NBT

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner |
| Cut-out: | 24½" w x 19½" d x 8½" h |



Model Shown: 30NBT

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 540 sq. inches |
| BTU's: | 45,000 Primary + 12,000 Backburner |
| Cut-out: | 30½" w x 19½" d x 8½" h |

*All models available in Natural Gas with Propane conversion kit included.
All models also available without backburner (-00SP).*

"L" SERIES GRILLS

The "L" series grills feature an electronic push button ignition system, interior halogen lights, and back-lit knobs (controlled by a push button located on the right side of the unit) ideal for evening grilling. Requires 120 Volt AC power.



Model Shown: **36PCL**

| | |
|--------------------------|---|
| Primary Cooking Surface: | 648 sq. inches |
| BTU's: | 50,000 Primary + 12,000 Backburner + 12,000 Side Burner |



Model Shown: **30PCL**

| | |
|--------------------------|---|
| Primary Cooking Surface: | 540 sq. inches |
| BTU's: | 45,000 Primary + 12,000 Backburner + 12,000 Side Burner |



Model Shown: **24PCL**

| | |
|--------------------------|---|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner + 12,000 Side Burner |



FLUSH MOUNTED SIDE BURNER

Included with all "L" Series grills



12V HALOGEN LIGHTS

All models available in Natural or Propane gas. (Natural Gas change the "P" in the model number to an "N").

All models also available without backburner and side burner (-00SP).

For optional factory-installed Infrared Burner upgrade, replacing left standard burner on "L" Series Grills, add **-R** to Model # (e.g. 36PCL-R). Additional cost applies.

"T" SERIES GRILLS

The "T" series grills feature a "Rapid Light" piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill that will last a long time.




Pictured above: 30PCL "L" Series Portable Grill



Model Shown: 36PCT

| | |
|--------------------------|---|
| Primary Cooking Surface: | 648 sq. inches |
| BTU's: | 50,000 Primary + 12,000 Backburner + 12,000 Side Burner |

Included with all "T" series grills



"RAPID-LIGHT"
Push-to-light piezo ignition system



Model Shown: 24PCT

| | |
|--------------------------|---|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner + 12,000 Side Burner |



Model Shown: 30PCT

| | |
|--------------------------|---|
| Primary Cooking Surface: | 540 sq. inches |
| BTU's: | 45,000 Primary + 12,000 Backburner + 12,000 Side Burner |

*All models available in Natural or Propane gas. (Natural Gas change the "P" in the model number to an "N").
All models also available without backburner and side burner (-00SP).*

POST MODEL COLLECTION

Designed for condos, apartments, or anywhere space is at a premium. The American Outdoor Grill® In-Ground and Patio Post Mount units pack a lot of grilling enjoyment into smaller spaces (432 square inches). The In-Ground Grill models must be cemented into the ground. Pedestal models may be bolted to a deck or concrete slab. Both feature a backburner, warming rack and dual side shelves (standard). The optional stainless steel tank shield is designed to conceal the unsightly propane tank while a safety chain keeps the tank securely in place.


Both grill versions are available as "L" series with lights and electronic ignition and "T" series with "Rapid Light" piezo ignition system.



Pictured above: 24NPT "T" Series Patio Post Mount Grill



Model: 3092A



Pedestal and In-Ground models include a **one hour** timer that automatically shuts the gas off.



Model Shown: 24NGL



Model: TH-PP-2

OPTIONAL TANK SHIELD & TANK SUPPORT

Model Shown: 24NPT

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner |

| | |
|--------------------------|------------------------------------|
| Primary Cooking Surface: | 432 sq. inches |
| BTU's: | 32,000 Primary + 10,000 Backburner |

Post Models available in Natural Gas with Propane conversion kit included.
Models also available without backburner and side burner (-00SP).

For optional factory-installed Infrared Burner upgrade, replacing left standard burner on "L" Series Grills, add **-R** to Model # (e.g. 24NPL-R). Additional cost applies.

ISLAND SYSTEMS

Constructed from durable Glass Fiber Reinforced Concrete (GFRC) and easily assembled on site, these islands are the perfect complement to your AOG grill.

30" L-Series Island Bundle

Model #: **IP30LB-CGD-75SM** (pictured left)

Dimensions 76¼" wide x 34¾" deep x 36" high

L-Series Bundle includes:

- GFRC Island with Concrete Grey base & Polished Smoke top
- 30NBL, 30" L-Series Built-In Grill with Backburner & Rotisserie Kit
- 16-15-DSSD, 16" x 15" Double Drawer
- 20-14-SS DLV, 20" x 14" Louvered Door with Tank Tray
- 14-20-SS DL, 14" x 20" Door
- 5520-11T, 1-Hour Stainless Steel Gas Timer Box

L-Series Island Bundle sold only as complete package with products listed above.

30" T-Series Island Bundle

Model #: **IP30T0-CGT-75SM**

Dimensions 76¼" wide x 34¾" deep x 36" high

T-Series Bundle includes:

- GFRC Island with Concrete Grey base & Polished Smoke top
- 30NBT-00SP, 30" T-Series Built-In Grill (-00SP model)
- 20-14-SS DLV, 20" x 14" Louvered Door with Tank Tray
- 14-20-SSDL, 14" x 20" Door
- 5520-11T, 1-Hour Stainless Steel Gas Timer Box

T-Series Island Bundle sold only as complete package with products listed above.



Pictured above: IP30LB-CGD-75SM, 30" L-Series Island Bundle



ID790 Islands and grill components ordered separately.

Model #: **ID790-CBD-108SM** (with Double Drawer)

GFRC Island with Café Blanco base & Polished Smoke top

Dimensions 107½" wide x 34¾" deep x 36" high

Product Requirements (sold separately)

- 36NBL (T) grill + AD-36C adapter
- 16-15-DSSD Double Drawer
- 3282L (T) Double side burner + 3282-AD adapter
- 16-39-SSD Front Double Access Door
- 20-14-SSDR/DL (DRV/DLV) Side Door
- 5520-11T, 1-Hour Stainless Steel Gas Timer Box

Also available with Refrigerator (REF-21) instead of Double Drawer.

Model #: **ID790-CBR-108SM**

ACCESSORIES



AOG® REFRIGERATOR

| | |
|----------|------------------------|
| Model: | REF-21 |
| Cut-out: | 20" w x 22" d x 34½" h |

4.0 cubic foot. Interior light and security lock and key. Reversible door hinge. When used outdoors, it must be installed in an enclosure.



DOUBLE SIDE BURNER ("L" Series shown)

| | |
|----------|-------------------------|
| Model: | 3282T/L (P) |
| Cut-out: | 11½" w x 22¾" d x 8½" h |

Enjoy precise flame control on each burner to prepare side dishes and sauces for you meal. Choose from electronic push button (L) or push-to-light (T) ignition systems. Comes with two 12,500 BTU's burners, stainless steel rod grid, and stainless steel cover.



INFRARED BURNER ("L" Series Only)

| | |
|--------|---------------|
| Model: | IRB-18 |
|--------|---------------|

Option for all "L" Series Grills replacing the left standard burner. It uses infrared heat to lock-up juices for tender meat and full flavor. Perfect for an amazing seared steak. (Also available as a factory-installed upgrade)



PORTABLE GRILL COVERS

| Description | Model |
|------------------------------|---------------|
| 24" Cover for Portable Grill | CC24-D |
| 30" Cover for Portable Grill | CC30-D |
| 36" Cover for Portable Grill | CC36-D |



SINGLE SIDE BURNER

| | |
|----------|-----------------|
| Model: | 3283 (P) |
| Cut-out: | 8¾" w x 14¼" d |

Drops into any custom grill island. Sized for sauce and sauté pans. Cooking or reheating side dishes or sauces is quick and easy with a 15,000 BTU's burner.



BUILT-IN GRILL COVERS

| Description | Model |
|------------------------------|---------------|
| 24" Cover for Built-In Grill | CB24-D |
| 30" Cover for Built-In Grill | CB30-D |
| 36" Cover for Built-In Grill | CB36-D |



STAINLESS STEEL GRIDDLE

| | |
|--------|--------------|
| Model: | GR18A |
|--------|--------------|

The AOG® Stainless Steel Griddle features a 304, 1/4" thick stainless steel cooking area, removable drip tray and scratch resistant surface. This unique grilling accessory heats up fast and allows you to cook all your meals in your outdoor kitchen.

Additional AOG® Accessories (not pictured)

| Description | Model |
|--|----------------------------------|
| Portable propane to natural gas Conversion Kit | CK-1-NAT |
| Insulating Liner (Specify Size)* | 24-IL-C, 30-IL-C, 36-IL-C |
| Adapters for Grills (Required for Island Systems) | AD-36D |
| Adapter for Double Side Burner (Required for ID790 Island) | 3282-AD-B |
| Rotisserie Kit | RK-24, RK-30, RK-36 |
| Smoker Box | 3561 |
| Grill Light | 3574 |
| Grill Light Bracket (needed for -00SP models) | 24-B-28 |

*Grill island cut-outs change when using insulating liner

DOORS & DRAWERS



FEATURE HIGHLIGHTS

- Stainless steel tubular handles
- 304 stainless steel double wall construction
- Cut-out is **height x width x depth**
- Most doors can be ordered for either right or left access

SINGLE ACCESS DOOR*

Model: **24-17-SSDR** or **DL**
Cut-out: 25" x 17½"

SINGLE ACCESS DOOR*

Model: **17-24-SSDR** or **DL**
Cut-out: 18" x 24½"

DOUBLE ACCESS DOOR*

Model: **20-30-SSD**
Cut-out: 21" x 30"

SINGLE ACCESS DOOR WITH TANK TRAY AND LOUVERS

Model: **20-14-SSDRV** or **DLV**
Cut-out: 21" x 14½" x 20½"



DOOR W/DOUBLE DRAWER

Model: **18-30-SSDD**
Cut-out: 18½" x 30" x 26"



DOOR W/DOUBLE DRAWER & PLATTER STORAGE

Model: **18-36-SSDD**
Cut-out: 18½" x 36½" x 26"



MASONRY DRAWER

Model: **13-31-SSD**
Cut-out: 13" x 31" x 20½"



DOUBLE DRAWER

Model: **16-15-DSSD**
Cut-out: 16" x 14½" x 20½"

| | | | | |
|--|--------------------|--|--|-------------------------------|
| * Additional sizes shown on page 9 (installed in island systems) | | Single Access Door | Single Access Door | Double Access Door |
| | Model: Cut-out: | 20-14-SSDR or DL 21" x 14½" | 14-20-SSDR or DL 15" x 20½" | 16-39-SSD 16" x 39" |



FEATURE HIGHLIGHTS

- 304 stainless steel construction
- Black Slam latch handle
- Single wall construction
- Cut-out is **height x width x depth**
- Most doors are reversible for left or right access



DOUBLE ACCESS DOORS

Model: **20-30-SD**
Cut-out: 20½" x 30"



SINGLE ACCESS DOOR

Model: **17-24-SD**
Cut-out: 17½" x 24½"



SINGLE ACCESS DOOR

Model: **14-20-SD**
Cut-out: 14½" x 20½"



SINGLE ACCESS DOOR

Model: **12-18-SD**
Cut-out: 12½" x 18½"



SINGLE ACCESS DOOR

Model: **24-17-SD**
Cut-out: 24½" x 17½"



SINGLE ACCESS DOOR

Model: **20-14-SD**
Cut-out: 20½" x 14½"



SINGLE ACCESS DOOR

Model: **18-12-SD**
Cut-out: 18½" x 12½"



SINGLE ACCESS DOOR WITH LOUVERS

Model: **20-14-SDV**
Cut-out: 20½" x 14½"



AMERICAN OUTDOOR GRILL WARRANTY HIGHLIGHTS

LIFETIME WARRANTY

American Outdoor Grill stainless-steel burners are warranted for as long as the original purchaser owns the grill -- LIFETIME.

TEN (10) YEAR WARRANTY

All other American Outdoor Grill parts are warranted for TEN (10) YEARS. (Except as noted below.)

THREE (3) YEAR WARRANTY

American Outdoor Grill infrared burners, vaporizer panels, and exterior Glass Fiber Reinforced Concrete (GFRC) grill island systems are warranted for THREE (3) YEARS.

THREE (3) YEAR WARRANTY

American Outdoor Grill ignition systems (excluding batteries) and accessories (including side burners, motors, and thermometers) are warranted for ONE (1) YEAR.

THE ROBERT H. PETERSON CO. RESERVES THE RIGHT TO AMEND PRODUCT SPECIFICATIONS WITHOUT PRIOR NOTICE.

CRAFTED WITH PRIDE  IN THE USA

Rev. 0 - 2009111430



RH PETERSON CO.
14724 PROCTOR AVE. CITY OF INDUSTRY, CA 91746
www.americanoutdoorgrill.com

L-E1-00121