



2024
LINEAR CATALOG
Premium Electric Fireplaces



ABOUT US

Modern Flames was established in 2009 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames has reinvented the electric fireplace look with its NEW Hybrid-FXTM flame technology. Modern Flames' products have

gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance, ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.





COVER PHOTO Landscape Pro™ Slim 56"

CONTENTS

4-7 Landscape Pro™ Multi Series The Most Versatile Electric Fireplace Now Indoor/Outdoor Approved

8-11 Mantel Series for Landscape Pro™ Multi Artfully crafted and American Made Mantels

12-15 Landscape Pro™ Slim Series

Built-In Clean Face with Unique Frameless Design Now Indoor/Outdoor Approved

16-19 Spectrum Slimline Series Recessed Flush Mount or Wall Mount





LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: 44" | 56" | 68" | 80" | 96" | 120"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE PARTIAL 2x4 RECESS WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 10 different install configurations* included standard in the box!
*Wall mount kits sold separately.

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.





New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!



STANDARD FEATURES

LIGHTING

- Higher Intensity Ember Bed Activity
- Improved Flames
- Higher Intensity Flame LEDs

MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- New Log Design Highly Detailed Realism

HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- Wi-Fi Connect to Fireplace (Alexa/Google home compatible)
- Basic Features Manual Controls
- Flame Speed (4 speed settings)
- Full Feature Remote Control
 - · RGB Color Wheel
 - Brightness Slide Bar

OPTIONAL UPGRADES

- Standard Single-Sided Trim included
- 5 Piece Trim Kit (sold separate)

UPGRADED MEDIA

- $\frac{1}{2}$ " Reflective Fireglass 10 lb. jars
 - 7 Color Options
- Wall Mount Cabinets

OPTIONAL CONTROL

• Wireless Thermostat & Full Wall Control

LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting







MEDIA - NEW PREMIUM LOG DESIGN STANDARD







HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater - Indoor & Outdoor Approved





FLAMES & LIGHTING 15 WATTS NO HEAT



1500 WATT HEATER 120V 5,000 BTU UP TO 400 SQ FT



3000 WATT HEATER 240V 10,000 BTU UP TO 800 SQ FT



Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.



STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL





UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL Sold separately.



PT# MF-PRO-V2-WTC

MULTI INSTALLATIONS - MULTIPLE DIFFERENT CONFIGURATIONS

MULTI INSTALL DEPTHS:

- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT*

MULTI CONFIGURATIONS:


- SINGLE SIDED
- LEFT CORNER
- BUILT-IN RECESSED (2X4)

WALL MOUNT*

- RIGHT CORNER
- FLOATING WALL CABINET

• 3-SIDED (BAY)

FLOOR CABINET






	*Mantel & Accessories Sold Separately
	CORNER
3 SIDED (BAY)	RIGHT/LEFT
	BUILT-IN RECESSED (2X4)
SINGLE SIDED	7

modernflames.com

WALL MOUNT*

MODEL & C	ONFIGURATION	,	VIEWING AREA	10	FIREBOX DIMENSIONS					
		A		c	D					
MODEL#	CONFIGURATION	FRONT GLASS	SIDE GLASS	GLASS HEIGHT	OVERALL	OVERALL	OVERALL	BOTTOM TO	TOPTO	BACKTO
NODEL #	CONFIGURATION	WIDTH	WIDTH	GUASS REIGHT	WIDTH	HEIGHT	DEPTH	VIEWING	VIEWING	VIEWING
LPM-4416V2	SINGLE SIDED	43.75*		15.75"	44.0625"	25"	11.625*	4.625"	4.625*	
LFW-4416V2	SINGLE SIDED	(1111.25mm)	15	(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	
	CORNER (L/R)	43.75*	5" (127mm)	15.75"	44.0625"	25"	11.625"	4.625"	4.625*	4.125"
	COMERCIA	(1111.25mm)	3 (12711111)	(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
	3 CIDED (BAY)	43.75*	5" (127mm)	15.75"	44.0625"	25"	11.625*	4.625"	4.625"	4.125"
	3-SIDED (BAY)	(1111.25mm)	5- (127mm)	(400.05mm)	(1119.19mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
LPM-5616V2	SINGLE SIDED	55.75*		15.75"	56.0625"	25"	11.625*	4.625"	4.625*	
LFW-3010V2	SHADE SIDED	(1416.05mm)		(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	-
	COONED D (O)	55.75*	EE (137mm)	15.75"	56.0625"	25*	11.625*	4.625"	4.625*	4.125"
	CORNER (L/R)	(1416.05mm)	5" (127mm)	(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
	2 FIRES (BANG	55.75*	FF (1271	15.75"	56.0625"	25°	11.625"	4.625"	4.625"	4.125**
	3-SIDED (BAY)	(1416.05mm)	5" (127mm)	(400.05mm)	(1423.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
I DAT COLCUS	FINCIFCION	57.75"		15.75"	68.0625"	25*	11.625*	4.625"	4.625"	
LPM-6816V2	SINGLE SIDED	(1720.85mm)		(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	
	COONED D (S)	67.75*	er	15.75"	68.0625"	25"	11.625"	4.625"	4.625*	4.125*
	CORNER (L/R)	(1720.85mm)	5" (127mm)	(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
	2 51050 (0410	67.75*	FE (4.22 - 1	15.75"	68.0625"	25"	11.625*	4.625"	4.625"	4.125"
	3-SIDED (BAY)	(1720.85mm)	5" (127mm)	(400.05mm)	(1728.79mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
LPM-8016V2	CINCUE CIDED	79.75*		15.75"	80.0625"	25"	11.625"	4.625"	4.625*	
LPIM-8010V2	SINGLE SIDED	(2025.65mm)		(400.05mm)	(2033.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	-
	COMMED D COM	79.75*	E8 44 7 7	15.75"	80.0625"	25"	11.625"	4.625"	4.625"	4.125*
	CORNER (L/R)	(2025.65mm)	5" (127mm)	(400.05mm)	(2033.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
		79.75°	*****	15.75"	80.0625"	25"	11.625*	4.625"	4.625*	4.125*
	3-SIDED (BAY)	(2025.65mm)	5" (127mm)	(400.05mm)	(2033,59mm)	(635mm)	(295.28mm)	(117.48mm)	(117,48mm)	(104.78mm)
	CONTRACTOR OF THE PARTY OF THE	96.75*		15.75"	96.0625"	25"	11.625"	4.625"	4.625"	
LPM-9616V2	SINGLE SIDED	(2457.45mm)	177	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	*
		96.75*		15.75"	96.0625"	25"	11.625*	4.625"	4.625*	4.125**
	CORNER (L/R)	(2457.45mm)	5" (127mm)	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
	100000000000000000000000000000000000000	96.75*	12010000000	15.75°	96.0625"	25"	11.625"	4.625"	4.625*	4.125**
	3-SIDED (BAY)	(2457.45mm)	5" (127mm)	(400.05mm)	(2439.99mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
	100000000000000000000000000000000000000	119.75*		15.75"	120.0625"	25"	11.625"	4.625"	4.625"	
LPM-12016V2	SINGLE SIDED	(3041.65mm)	0.7	(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	
	convent to fee	119.75*		15.75"	120.0625"	25"	11.625"	4.625"	4.625"	4.125"
	CORNER (L/R)	(3041.65mm)	5" (127mm)	(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)
		119.75*		15.75°	120.0625"	25"	11.625*	4.625"	4.625*	4.125"
	3-SIDED (BAY)	(3041.65mm)	5" (127mm)	(400.05mm)	(3049.59mm)	(635mm)	(295.28mm)	(117.48mm)	(117.48mm)	(104.78mm)



LANDSCAPE PRO™ MULTI STUDIO SUITES

Modern Flames Landscape Pro™ Multi Studio Suites are artfully crafted and American Made. These mantels are specifically designed for our Landscape Pro™ Multi for a wall mount application. Constructed with high detail woods the Studio Suites are available in a Driftwood Gray, Weathered Walnut, Coastal Sand or white paint grade ready for the DIY'er to finish it off themselves. For the wall mount applications simply attach the Landscape Pro™ Multi to the wall and then attach the Suites mounting brackets for the top and bottom pieces. The additional fireplace that is exposed from the wall will be finished off with the top and bottom and side wood furniture pieces. These Studio Suites are the perfect way to finish off this fully featured electric fireplace. *Matels are sold separately from fireplace.




STUDIO SUITES - LANDSCAPE PRO™ MULTI

Dimension Specs

WALL MOUNT MANTEL DIMENSIONAL SPECS (Assembled)

Part #	Width	Heigth	Depth
WMC-44LPM-(#Color)	58.5	28	14
WMC-56LPM-(#Color)	70.5	28	14
WMC-68LPM-(#Color)	82.5	28	14
WMC-80LPM-(#Color)	94.5	28	14

COLORS: COASTAL SAND (CS), WEATHERED WALNUT (WW), DRIFTWOOD GRAY (DG), READY TO PAINT (RTF)














LANDSCAPE PRO™ SLIM SERIES

Built-in Clean Face Electric Fireplace

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 2" x 6" wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro Slim features a 5000 BTU heater, remote and wireless control and comes in 5 linear sizes, 44" | 56" | 68" | 80" | 96".





STANDARD FEATURES



Outdoor Rated/Approved



Mybrid=FX™ Flame Technology



NEW Log Set - Highly Detailed Realism



IMPROVED Flame, Ember Bed & Down lighting Controlled, Independently or Together



Flame Speed Controls (4 speeds)



2 Different Ember Bed Stone Styles



Full Flame Viewing Area



Fully Finished Clean Face Installation



Finish Trim Kit Included



5.000 BTU Variable Heater



Semi-Reflective Screens Available



Variable Flame Speed



Remote Control




Hidden Manual Controls



Wi-Fi Controls with Modern Flames App (Alexa/Google)

LANDSCAPE PRO™ SLIM SERIES

Driftwood Logs & Acrylic Ember Bed Included Standard



Flames & Ember Bed Colors - Several Color Combinations Available & Controlled Independently




Comes Standard with 2 Types of Acrylic Media: Smoke & Clear

MEDIA - NEW PREMIUM LOG DESIGN



MODEL	VIEWI	NG AREA	F	REBOX DIMENS	SIONS	FRAMING DIMENSIONS	
	A	В	С	D	E	W×H×D	
LPS-4414V2	13.375"	43.25"	6"	23.75"	44.0625"	44 1/4" W x 24 1/8" H x 6" D (1130mm W x	
	(355.6mm)	(1098.55")	(152.4mm)	(603.25mm)	(1119.19mm)	613mm H x 152mm D)	
LPS-5614V2	13.375"	55.25"	6"	23.75"	56.0625"	56 1/4" W x 24 1/8" H x 6" D (1435mm W x	
	(355.6mm)	(1403.35mm)	(152,4mm)	(603.25mm)	(1423.99mm)	613mm H x 152mm D)	
LPS-6814V2	13.375"	67.25"	6"	23.75"	68.0625"	68 1/4" W x 24 1/8" H x 6" D (1740mm W x	
	(355.6mm)	(1708.15mm)	(152,4mm)	(603.25mm)	(1728.79mm)	613mm H x 152mm D)	
LPS-8014V2	13.375"	79.25"	6"	23.75"	80.0625"	80 1/4" W x 24 ½8" H x 6" D (2045mm W x	
	(355.6mm)	(2012.95mm)	(152.4mm)	(603.25mm)	(2033.59mm)	613mm H x 152mm D)	
LPS-9614V2	13.375"	95.25"	6"	23.75"	96.0625"	96 1/4" W x 24 1/8" H x 6" D (2451mm W x	
	(355.6mm)	(2419.35mm)	(152.4mm)	(603.25mm)	(2439.99mm)	613mm H x 152mm D)	

US Patent 11473745




LANDSCAPE PRO SLIM - OPTIONAL INVISIBLE NON GLARE MESH SCREEN

Optional invisible non glare mesh screen, in place of glass front.









SPECTRUM SLIMLINE SERIES

Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 10 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.



STANDARD FEATURES



Hybrid-FX™ Flame Technology



Log Set – Highly Detailed Realism



10 Color Flame Combinations with Ember Bed Lighting, plus color auto cycling.



Glacier Glass Ember Bed



Low Energy LED Flame Technology



Touch Button Controls



New Sleek Remote



Can be Installed Beneath a TV



Variable Heat with Thermostat



Variable Flame Controls



120 Volt Plug



Do it Yourself Installation Instructions

SPECTRUM SLIMLINE SERIES

Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.

10 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Green Flames & Green Ember Bed



Purple Flames & Blue Ember Bed modernflames.com



Blue Flames & Orange Ember Bed



Magenta Flames & Magenta Ember Bed



Orange Flames & Blue Ember Bed





Orange Flames & Orange Ember Bed



Pink Flames & Blue Ember Bed



Gold Flames & Green Ember Bed



Gold Flames & Gold Ember Bed



Red Flames & Red Ember Bed




Purple Flames & Purple Ember Bed


SPECTRUM SLIMLINE SERIES

Dimension Specs

SPECTRUM SLIMLINE DIMENSIONAL SPECS

Model Number	Α	В	С	D	E	F	G	Н	FINISHED OPENING DIMENSIONS W x H x D
SPS-50B	49-3/4" (1264mm)	17" (430mm)	4-3/4" (121mm)	48-5/8" (1235mm)	16-1/8" (410mm)	4" (102mm)	46" (1168mm)	12" (305mm)	48-7/8" (1242mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-60B	59-3/4 " (1518mm)	17" (430mm)	4-3/4" (121mm)	58-5/8" (1489mm)	16-1/8 " (410mm)	4" (102mm)	55-13/16" (1418mm)		58-7/8" (1496mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-74B	73-3/4 " (1873mm)	17" (430mm)	4-3/4" (121mm)	72-5/8 " (1845mm)	16-1/8" (410mm)	4" (102mm)	69-3/4" (1772mm)	12" (305mm)	72-7/8" (1851mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-100B	99-3/4" (2534mm)	17" (430mm)	4-3/4" (121mm)	98-5/8" (2505mm)	16-1/8" (410mm)	4" (102mm)	95-7/8" (2435mm)	12" (305mm)	98-7/8" (2512mm) x 16-1/4" (413mm) x 4" (102mm) minimum





REMOTE CONTROL





MODERN FLAMES WEBSITE



RPG BRANDS FAMILY OF COMPANIES







ModernFlames.com

3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353 customerservice@ModernFlames.com











